Ver 2.1 HB3500

Hybrid-R[™]

For total RNA isolation from tissues and cultured cells

RNA PURIFICATION HANDBOOK



Customer & Technical Support

Should you have any further questions, do not hesitate to contact us.

We appreciate your comments and advice.

Contact Information

www.geneall.com

Tel: 82-2-407-0096

Fax: 82-2-407-0779

E-mail(Order/Sales) : sales@geneall.com

E-mail(Tech. Info.): tech@geneall.com

Visit GeneAll® Community

www.geneall.com

www.geneall.co.kr

Trademarks

Hybrid- Q^{TM} , ExprepTM, ExfectionTM, ExpinTM, ExgeneTM, GenExTM, DirExTM, Hybrid-RTM, RiboExTM, RiboSpinTM, RiboSpinTM, EzClearTM, EzPureTM, EzPureTM, EzPassTM, AmpONETM, AmpMasterTM, RealAmpTM, HyperScriptTM, ProtinExTM, PAGESTATM, STEADiTM are trademarks of GeneAll Biotechnology Co., Ltd.

© 2017 GeneAll Biotechnology, all rights reserved.

This protocol handbook is included in :

GeneAll® Hybrid-RTM (305-101)

Visit www.geneall.com or www.geneall.co.kr for FAQ, Q&A and more information.


Brief Protocol	Hybrid-R™
Homogenization	Homogenize ~ 100 mg tissue samples or $\sim 1 \times 10^7$ cells per 1 ml RiboEx TM .
	Incubate the homogenate for 5 min at RT.
Phase Separation	Add 200 μ l chloroform and mix vigorously. Incubate the mixture for 2 min at RT.
	Centrifuge at $12,000 \times g$ for 15 min at 4° C, then transfer the aqueous phase to a fresh tube.
Binding	Add I volume of Buffer RBI to the sample and mix thoroughly by inverting. *Do NOT centrifuge.
	Transfer (up to 700 μ l) the mixture to a mini column and centrifuge at \geq 10,000 x g for 30 sec (repeat this step to bind all mixture).
Wash	Add 500 μ I Buffer SWI to the mini column and centrifuge at \geq 10,000 x g for 30 sec.
	Add 500 μ I Buffer RNW to the mini column and centrifuge at \geq I 0,000 x g for 30 sec.
	Centrifuge at $\geq 10,000 \times g$ for an additional 1 min.
Elution	Add 50 \sim 100 μ l Nuclease-free water to the center of the membrane in the mini column.

Let it stand for 1 min.

Centrifuge at $\geq 10,000 \text{ x g for 1 min.}$

Brief Protocol

Hybrid-R™





Pre

Kit Contents

Cat. No.	305-101	Storage
Components	Quantity	Storage
RiboEx [™]	100 ml	4°C
Buffer RB1 (concentrate) *	15 ml	
Buffer SW I	55 ml	
Buffer RNW (concentrate)* †	I2 ml	Doors toronorsture
Nuclease-free water	20 ml	Room temperature
Mini column type F (with collection tube)	100	(15~25°C)
1.5 ml microcentrifuge tube	100	
Protocol Handbook	1	

^{*} Before first use, add absolute ethanol (ACS grade or better) into buffer RBI and RNW as indicated on the bottle.

Materials Not Provided

Reagent

- * Absolute ethanol (ACS grade or better)
- * Chloroform or 1-bromo-3-chloropropane (BCP)

Disposable material

- * RNase-free pipette tips
- * Disposable gloves

Equipment

- * Equipment for homogenizing solid tissue
- * Microcentrifuge capable of attaining 12,000 x g at 4°C and room temperature
- * Suitable protector (eg. lab coat, disposable gloves, goggles, etc.)

[†] Contains sodium azide as a preservative

Product Specifications

Hybrid-R™	
Size	mini
Format	Spin
Maximum amount of starting samples	$\sim 100 \text{ mg or } \sim 1 \times 10^7 \text{ cells}$
Maximum loading volume	~700 µI
Minimum elution volume	~30 µl
Maximum binding capacity	~500 µg

Quality Control

All components of GeneAll[®] Hybrid- R^{TM} are manufactured in strictly clean conditions, and their its degree of cleanliness is monitored periodically.

To maintain consistency, a quality control process is carried out thoroughly from lot to lot and only the qualified kits are approved for delivery according to ISO 9001:2008 and EN ISO 13485:2012.

Storage Conditions

GeneAll® Hybrid-RTM except RiboExTM solution should be stored at room temperature ($15\sim25^{\circ}$ C).

RiboEx[™] solution should be stored at 2 to 8°C for optimal performance.

GeneAll $^{\otimes}$ Hybrid-R $^{\text{TM}}$ is guaranteed until the expiration date printed on the product box.

Safety Information

GeneAll® Hybrid- R^{TM} contains phenol and guanidine salt which are harmful as an irritant when in contact with skin or eyes, or when inhaled or swallowed. Care should be taken when handling such material. Always wear gloves and eye protection, and follow standard safety precautions.

Ribo $\mathrm{Ex}^{\mathrm{TM}}$, Buffer RB1, and SW1 contain chaotropes, which can form highly reactive compounds when combined with bleach. Do NOT add bleach or acidic solutions directly to the sample-preparation waste.

Prevention of RNase Contamination

RNase can be introduced accidentally during RNA purification. Wear disposable gloves always, because skin often contains bacteria and molds that can be a source of RNase contamination. Use sterile, disposable plastic wares and automatic pipettes to prevent cross-contamination of RNase from shared equipment.

Product Description

Hybrid- R^{TM} is a complete kit with ready-to-use reagent for the isolation of total RNA from tissue samples or cultured cells.

This kit utilizes the lysis method of RiboExTM which has a powerful ability of lysis and the purification method based on glassfiber membrane technology. A fast and convenient procedure of Hybrid-RTM takes only 30 min for complete preparation of pure RNA. Samples are homogenized in RiboExTM, a monophasic solution containing phenol and guanidine salt, which rapidly lyses cells and inactivates nucleases. Addition of chloroform in lysate brings about a separation of the homogenate into aqueous and organic phases. RNA locates in the aqueous phase while DNA and protein remain in the interphase and organic phase. The aqueous phase including RNA is mixed with Buffer RBI, RNA binding buffer, and then binds to a mini column. After washing with Buffer SWI and RNW. RNA is eluted in Nuclease-free water.

Hybrid- R^{TM} is suitable for RNA preparation from 100 mg tissues or 1×10^7 cultured cells. The maximum yield reaches 500 μ g per 100 mg tissues. The purified RNA is suitable for isolation of Poly A RNA, Northern blotting, dot blotting, in vitro translation, cloning, RT-PCR, RNase protection assays, and other analytical procedures.

PROTOCOL FOR

Hybrid-R[™]

Homogenize ~100 mg tissue samples in I ml RiboEx[™].
 Homogenize ~1x10⁷ cells in I ml RiboEx[™].





Tissue samples

Homogenize ~ 100 mg of tissue samples in 1 ml RiboExTM using homogenizer. The sample volume should not exceed 10% (w/v) of the volume of RiboExTM used for homogenization.

Handling fresh tissue

Immediately after dissection, inactivate RNases by any one of the following treatments.

- * Homogenize in RiboExTM immediately.
- * Freeze rapidly in liquid nitrogen.
- * Submerge in a tissue storage buffer to protect RNA from RNases.

Cell samples

Cells grown in monolayer

Pour off media, add I ml Ribo Ex^{TM} per 10 cm² of culture dish area. Pass the cell lysate several times through a pipette. An insufficient amount of Ribo Ex^{TM} may result in contamination of the isolated RNA with DNA.





Cells grown in suspension

Pellet cells by centrifugation, then lyse in 1 ml RiboExTM per $\sim 1 \times 10^7$ animal cells, or 1×10^7 bacterial cells, by repetitive pipetting or vortexing.

* Do not wash cells before lysing with RiboExTM as this may contribute to mRNA degradation.

2. Incubate the homogenate for 5 min at room temperature.

This step allows nucleoprotein complexes to completely dissociate.

Homogenized samples can be stored at -70°C for at least one month.

3. (Optional:) Centrifuge at 12,000 x g for 10 min at 4°C and transfer the supernatant to a fresh tube.

This optional step is only required for homogenate with high contents of proteins, fats, polysaccharides or extracellular materials such as muscles, fat, tissue, and tuberous parts of plants.

The resulting pellet contains extracellular membranes, polysaccharides, and high molecular weight DNA, while the supernatant contains RNA.

Fat tissue samples will form a layer on top of the aqueous phase, therefore, remove and discard this layer.

4. Add 200 μ I chloroform per I ml RiboExTM. Shake vigorously for 15 sec and incubate for 2 min at room temperature.

Alternatively, 100 μ I BCP (1-bromo-3-chloropropane) can be used in place of chloroform.





5. Centrifuge at $12,000 \times g$ for $15 \text{ min at } 4^{\circ}\text{C}$ and transfer the aqueous phase to a fresh tube.

The mixture will be separated into three phases; a lower layer, an interphase, and a colorless upper aqueous layer. The upper aqueous layer is about 50% of the volume of RiboEx TM used for homogenization.

Centrifugation at temperatures >8°C may cause some DNA to partition in the aqueous phase.

- Add I volume of Buffer RBI to the sample and mix thoroughly by inverting.Do not centrifuge.
- 7. Transfer up to 700 μ l of the mixture to a mini column type F.
- 8. Centrifuge at ≥ 10,000 x g for 30 sec at room temperature. Discard the pass-through and reinsert the mini column back into the same tube.
- **9.** Repeat step 7~8 using the remainder of the sample.

 Discard the pass-through and reinsert the mini column back into the same tube.
- **IO.** Add 500 μ I Buffer SWI to the mini column.
- Centrifuge at ≥ 10,000 x g for 30 sec at room temperature. Discard the pass-through and reinsert the mini column back into the same tube.
- 12. Add 500 μ l Buffer RNW to the mini column.
- 13. Centrifuge at ≥ 10,000 x g for 30 sec at room temperature. Discard the pass-through and reinsert the mini column back into the same tube.



14. Centrifuge at ≥10,000 x g for an additional I min at room temperature to remove residual wash buffer. Transfer the mini column to a new 1.5 ml microcentrifuge tube (provided).

Residual ethanol may interfere with downstream reactions. Care must be taken at this step for eliminating the carryover Buffer RNW.

- 15. Add $50 \sim 100 \,\mu$ l Nuclease-free water to the center of the membrane in the mini column. Let it stand for 1 min.
- 16. Centrifuge at ≥10,000 x g for 1 min at room temperature.
 Purified RNA can be stored at 4°C for immediate analysis and can be stored at -70°C for long term storage.

The purified RNA is free of DNA and proteins, and A₂₆₀/A₂₈₀ will be between 1.8 and 2.2.



Troubleshooting Guide

Facts	Possible Causes	Suggestions
Low or no yield	Poor quality of starting material	Process the sample immediately after harvest from animal. Thaw the frozen sample directly in RiboEx TM .
	Sample not homogenized completely	Make sure no particulate matter remains. Be sure to incubate for 5 min at room temperature after homogenization.
	Some aqueous phase left	Perform second extraction with the remaining aqueous phase.
	Incorrect elution conditions	Add Nuclease-free water to the center of the mini column membrane and perform incubation for I min before centrifugation.
Degradation of RNA	Sample manipulated too much before the addition of RiboEx TM	Process the sample immediately after harvest from animal.
	addition of Ribbex	For cultured cell, minimize washing steps. Add RiboEx [™] directly to plates for a good result. Do not trypsinize cells.
	Improper storage of RNA	Store isolated RNA at -70°C, do not store at -20°C.
	Reagent or disposable is not RNase-free	Make sure to use RNase-free products only.
Low A ₂₆₀ /A ₂₈₀ (<1.6)	Aqueous phase was contaminated with the phenol phase	Avoid carryover when transferring the aqueous phase to a fresh tube.

Facts	Possible Causes	Suggestions
Low A ₂₆₀ /A ₂₈₀ (< I.6)	Sample not completely homogenized with	Use I ml RiboEx TM for up to 100 mg tissue or up to 1×10^7 cells.
	RiboEx™	Be sure to incubate sample for 5 min at room temperature after homogenization.
Contamination of DNA	The interphase was co-transfered by mistake	Be sure not to transfer any of the interphase (containing DNA) to the aqueous phase.
	Insufficient RiboEx™ used	Use 1 ml RiboEx TM for up to 100 mg tissue or up to 1×10^7 cells.
	Temperature was too high during centrifugation	The phase separation should be performed at 4°C to allow optimal phase separation and removal of genomic DNA from the aqueous phase.
Cells not detached completely from flask after addition of RiboEx™	This can be seen with some strongly adherent cells	After addition of RiboEx [™] , let cells sit 2~3 min. Scrape cells with a scraper. Incubate for several minutes. Collect and repeatedly pipette cells over flask surface. Then transfer homogenate to a tube.
RNA does not perform well in downstream application	Residual ethanol remains in eluate	To remove any residual ethanol included in Buffer RNW from mini column membrane, centrifuge again (Page 13, step 14).

APPENDIX .

Total RNA purification method using

RiboEx[™] solution only (Manual method)

Hybrid-RTM is simplified method of RiboExTM, manual method, using mini column. Therefore, RiboExTM, lysis buffer of Hybrid-RTM, can be used for total RNA purification, independently. This method gives an improved yield up to 30% but the purity will be reduced slightly. Moreover, the whole experimental time will be extended over 1 hour because of the prolonged precipitation and washing steps.

As your experimental purpose, you can use the appropriate method. The procedure of total RNA purification using Ribo Ex^{TM} is shown below.

Materials Not Provided

- * Nuclease-free water
- * Equipment for homogenizing solid tissue
- * RNase-free centrifuge tubes
- * Chloroform or I-bromo-3-chloropropane (BCP)
- * Absolute isopropanol (ACS grade or better)
- * Absolute ethanol (ACS grade or better)
- * High salt precipitation solution for plant (0.8 M sodium citrate and 1.2 M NaCl)

Protocol for RNA isolation

Homogenize 50~100 mg tissue samples in 1 ml RiboEx[™].
 Homogenize 5~10x10⁶ cells in 1 ml RiboEx[™].

Tissue samples

Homogenize tissue samples in 1 ml RiboEx TM per 50 \sim 100 mg of tissue using homogenizer. The sample volume should not exceed 10% of the volume of RiboEx TM used for homogenization.

Handling fresh tissue

Immediately after dissection, inactivate RNases by any one of the following treatments.

- * Homogenize in RiboEx $^{\text{TM}}$ immediately.
- * Freeze rapidly in liquid nitrogen.
- * Submerge in a tissue storage buffer to protect RNA from RNase.

Cell samples

Cells grown in monolayer

Pour off media, add I ml Ribo Ex^{TM} per 10 cm² of culture dish area. Pass the cell lysate several times through a pipette. An insufficient amount of Ribo Ex^{TM} may result in contamination of the isolated RNA with DNA.

Cells grown in suspension

Pellet cells by centrifugation, then lyse in 1 ml RiboExTM per $5\sim10x10^6$ animal, plant, or yeast cells, or per 1 x 10^7 bacterial cells, by repetitive pipetting or vortexing.

* Do not wash cells before lysing with RiboEx[™] as this may contribute to mRNA degradation.

2. Incubate the homogenate for 5 min at room temperature.

This step allows nucleoprotein complexes to completely dissociate.

Homogenized samples can be stored at -70°C for at least one month.

3. (Optional :) Centrifuge at $12,000 \times g$ for 10 min at 4°C and transfer the supernatant to a fresh tube.

This optional step is only required for homogenate with high contents of proteins, fats, polysaccharides or extracellular materials such as muscles, fat, tissue, and tuberous parts of plants. The resulting pellet contains extracellular membranes, polysaccharides, and high molecular weight DNA, while the supernatant contains RNA.

Fat tissue samples will form a layer on top of the aqueous phase, therefore, remove and discard this layer.

4. Add 200 μl chloroform per I ml RiboExTM. Shake vigorously for I5 sec, incubate for 2 min at room temperature.

Alternatively, $100 \,\mu\text{I}$ BCP (1-bromo-3-chloropropane) can be used in place of chloroform.

5. Centrifuge at $12,000 \times g$ for 15 min at 4° C, then transfer the aqueous phase to a fresh tube.

The mixture separates into a lower layer, an interphase, and a colorless upper aqueous layer. The upper aqueous layer is about 50% of the volume of RiboEx TM used for homogenization. Centrifugation at above 8°C may cause some DNA to partition in the aqueous phase.

6. Add 500 μ I absolute isopropanol per I ml RiboExTM used for the initial homogenization and gently mix the solution by inverting, 5~10 times.

Proteoglycan and polysaccharide contamination

To RNA precipitate from tissue with high content of proteoglycans and/or polysaccharides

(after step 5), these contaminating compounds from the isolated RNA are removed by the modified method.

Add to the aqueous phase 400 μ l isopropyl alcohol and 100 μ l of a high salt precipitation solution (0.8 M sodium citrate and 1.2 M NaCl) per 1 ml RiboExTM. After mixing this solution, proceed with the step 7.

This modified precipitation effectively precipitates RNA and maintains proteoglycans and polysaccharides in a soluble form. This procedure should only be used if the sample is known to have a high content of proteoglycans and polysaccharides. To isolate pure RNA from plant material containing a very high level of polysaccharides, the modified precipitation should be combined with an additional centrifugation of the initial homogenate.

7. Incubate samples for 10 min at room temperature.

8. Centrifuge at $12,000 \times g$ for $10 \min at 4^{\circ}C$, and discard the supernatant.

Carefully remove the supernatant without disturbing the pellet.

Precipitated RNA forms a gel-like or white pellet on the side and bottom of the tube.

To increase yield, store sample for 30 min~overnight at -20°C.

9. Add I ml 75% ethanol per I ml Ribo $\mathbf{E}\mathbf{x}^{TM}$ to wash the RNA pellet.

The RNA precipitate can be stored in 75% ethanol at 4° C for one week, or at -20°C for at least one year.

10. Centrifuge at 7,500 x g for 5 min. Carefully discard the supernatant, ethanol, and air-dry the RNA pellet for 5 min.

The RNA pellet is very loose at this point and care must be taken to avoid missing the pellet. Do not completely dry the RNA pellet as this will greatly decrease its solubility.

Ethanol should be completely removed to perform perfect downstream application.

11. Dissolve RNA in DEPC-treated water or in 0.5% SDS solution by incubating for 10~15 min at 56°C.

The resuspension volume is applied to samples. For example, enough resolution volume is $50\sim100~\mu l$ per 1 ml reaction for E. coli, cultured cell, or plant, or $300\sim500~\mu l$ per 1 ml reaction for tissue. For immediate analysis, store at 4°C and for long term storage, store at -70°C. For best results in RT-PCR, dissolve the RNA in DEPC-treated water not included EDTA. The final precipitation of total RNA will be free of DNA and proteins, and will have a A_{260}/A_{280} ratio of 1.8 to 2.2.

APPENDIX 2.

Confirmation of RNA yield and purity by UV absorbance

Concentration of RNA

The concentration of RNA can be determined by using the absorbance of spectrophotometer at 260 nm. For the convenient measurement, we recommend using the NanoDrop which can also reduce your RNA sample and time. If not, you need to dilute the RNA samples to measure the concentration through traditional spectrophotometer. The value of A_{260} should be between 0.15 and 1.00. Be sure to calibrate the spectrophotometer with the same solution used for dilution. An absorbance of I at 260 nm is about 40 μ g RNA/ml at a neutral pH. Therefore, the concentration of RNA was calculated by the formula shown below.

 A_{260} x dilution factor x $40 = RNA \mu g/ml$

Purity of RNA

To confirm the RNA purity, you should read the ratio of A_{260}/A_{280} . Pure RNA is in the range of $1.8 \sim 2.2$.

APPENDIX 3.

Formaldehyde agarose gel

electrophoresis (Denaturing gel method)

A denaturing agarose gel is routinely used for the assessment of the quality of an RNA preparation. After preparation, RNA forms secondary structure via intramolecular base pairing. Therefore, it is very difficult to get the exact result of electrophoresis because of migrating inaccuracy. However, the denaturing gel denatures the secondary structure of RNA and makes an accurate migration. To confirm the RNA band, the gel should be transferred to a UV transilluminator after electrophoresis. Mainly, two RNA bands are shown. In case of animal sample, the 28S and 18S rRNA bands are confirmed on the gel. If they are intact, the RNA bands should be sharp and the intensity of upper band should be about twice that of the lower band.

Prepare the denaturing gel

- 1. Put 1 g agarose in 72 ml water and heat to dissolve thoroughly.
- 2. Cool to 60°C.
- 3. Add 10 ml of 10 X MOPS buffer, 18 ml of 37% formaldehyde, and 1 μ l of a 10 mg/ml ethidium bromide (EtBr).
- 4. Mix well then pour the gel into the gel tray and cool to solidify it.
- 5. Transfer the solidified gel from tray to tank, and add enough 1 X MOPS running buffer to cover the gel.

Prepare the RNA sample

I. Make the mixture. $x \mu I RNA (up to 20 \mu g)$

 $2\,\mu$ l 10 X MOPS electrophoresis buffer

 $4 \mu l$ Formaldehyde $10 \mu l$ Formamide

- 2. Incubate the mixture for 15 min at 65°C.
- 3. Chill the sample for 5 min in ice.
- 4. Add 2 μ l of 10 X formaldehyde gel-loading dye to the mixture.
- Load the mixture in a denaturing gel which is covered with a sufficient 1 X MOPS electrophoresis buffer.
- 6. Run the gel and confirm the RNA band on transilluminator. Occasionally, gel destaining may be needed to increase the visibility of the bands of RNA in dH_2O for several hours.

Composition of buffers

- 10 X MOPS buffer

0.2 M MOPS 20 mM Sodium acetate 10 mM EDTA pH to 7.0 with NaOH

- 10 X formaldehyde gel-loading dye

50% Glycerol 10 mM EDTA 0.25% (w/v) Bromophenol blue

0.25% (w/v) Xylene cyanol FF

* Caution

When working with these chemicals, always use gloves and eye protector to avoid contact with skin and cloth. Especially, formaldehyde and ethidium bromide (EtBr) should be handled in a fume hood.

Ordering Information

Products	Scale	Size	Cat. No.	Туре	Products	Scale	Size	Cat. No.	Туре
	TM -					TM -			
GeneAll® H ybri	d-Q '''' fo	r rapid p	reparation of i	blasmid DNA	GeneAll® Exgene	for is	olation c	f total DNA	
Plasmid Rapidprep	mini	50	100-150	spin		mini	100	105-101	spin /
		200	100-102	эрш			250	105-152	vacuum
					Blood SV	Midi	26	105-226	spin /
GeneAll® <i>Expre</i>	p™ for p	reparatio	n of plasmid l	DNA	Blood 3V	ı ildi	100	105-201	vacuum
		50	101-150	spin /		MAXI	10	105-310	spin /
	mini	200	101-102	vacuum		MANI	26	105-326	vacuum
D		26	101-226				100	106-101	spin /
Plasmid SV	Midi	50	101-250	spin /	C 11 C) /	mini	250	106-152	vacuum
		100	101-201	vacuum	Cell SV		10	106-310	spin /
Cana A II® F	.:TM					MAXI	26	106-326	vacuum
GeneAll® Exfection TM for preparation o		transfect	ion-grade bla	smid DNA			100	108-101	spin /
. , ,		50	111-150	spin /		mini	250	108-152	vacuum
Plasmid LE	mini	200	111-102	vacuum			26	108-226	spin /
(Low Endotoxin)		26	111-102		Clinic SV	Midi	100	108-201	vacuum
(Midi	100	111-220	spin / vacuum			10	108-310	spin /
		20	121-220	- Vucuaiii		MAXI	26	108-326	vacuum
Plasmid EF Mic (Endotoxin Free)	Midi	100		spin Genom	Genomic DNA micr		50	118-050	spin
(Lindottoxiii i rece)		100 121-201		Genomic Dr V (mich		100	117-101		
GeneAll[®] Expin[™] for pu				20.14		mini	250	117-151	spin / vacuum
JeneAll Expin to	for pur			DNA			26		
Gel SV	mini	50	102-150	spin /	Plant SV	Midi		117-226	spin / vacuum
		200	102-102	vacuum			100	117-201	
PCR SV	mini	50	103-150	spin /		MAXI	10	117-310	spin /
		200	103-102	vacuum				117-326	vacuum
CleanUp SV	mini	50	113-150	spin /	Soil DNA mini	mini	50	114-150	spin
Clearlop 3V	11111111	200	113-102	vacuum	Stool DNA mini	mini	50	115-150	spin
Carrela CD	maini	50	112-150	spin /	Viral DNA / RNA	mini	50	128-150	spin
Combo GP	mini	200	112-102	vacuum	FFPE Tissue DNA	mini	50	138-150	spin
							250	138-152	'
GeneAll® <i>Exge</i> n	ieTM for is	olation o	f total DNA		GeneAll® G enEx	гм			
		100	104-101	spin /	Geneau Genex	for iso	ation of		nout spin
	mini	250	104-152	vacuum		Sx	100	220-101	solution
		26	104-226	spin /	GenEx™ Blood	- JA	500	220-105	301011011
Tissue SV	Midi	100	104-201	vacuum		Lx	100	220-301	solution
		10	104-310	spin /		Ç.,	100	221-101	colution
	MAXI	26	104-316	vacuum	GenEx [™] Cell	Sx	500	221-105	solution
		100	109-101			Lx	100	221-301	solution
	mini	250	109-101	spin / vacuum			100	222-101	1.2
					GenEx [™] Tissue	Sx	500	222-105	solution
Tissue plus! SV	Midi	26	109-226	spin /		Lx	100	222-301	solution
•		100	109-201	vacuum					
	MAXI	10	109-310	spin /					
		26	109-326	vacuum					

	Scale	Size	Cat. No.	Туре	Products	Scale	Size	Cat. No.	Туре
GeneAll® GenE x	TM for is	olation of	total DNA		GeneAll® A mpC	ONETM for	· PCR aı	mplification	
	Sx	100	227-101				250 L	501-025	
GenEx [™] Plant	Mx	100	227-201	solution	Taq DNA polymerase		500 L	501-050	(2.5 U/ µℓ)
	Lx	100	227-301				1,000 L	501-100	
	Sx	100	228-101		lpha-Taq DNA polymerase		250 L	502-025	(2.5 U/µℓ)
GenEx [™] Plant plus!	Mx	50	228-250	solution			500 L	502-050	
	Lx	20	228-320				1,000 L	502-100	-
GeneAll® <i>DirEx</i> T/	^M serie	es					250 L	504-025	
	ration o	PCR-ten	nplate withou	t extraction	α-Pfu DNA polymo	erase	500 L	504-050	(2.5 U/ µl)
DirEx TM		100	250-101	solution	. ,		I,000 L	504-100	,
DirEx [™] Fast-Tissue		96 T	260-011	solution			250 L	505-025	
DirEx [™] Fast-Culture	d cell	96 T	260-021	solution	Fast-Pfu DNA		500 L	505-050	(2.5 U/ μℓ)
DirEx [™] Fast-Whole b	blood	96 T	260-03 I	solution	polymerase		I ,000 L		
DirEx [™] Fast-Blood st	tain	96 T	260-041	solution			250 L	531-025	
DirEx [™] Fast-Hair		96 T	260-05 I	solution	Hotstart Taq DNA		500 L		(2.5 U/µℓ)
$DirEx^{TM}$ Fast-Buccal s	wab	96 T	260-061	solution	polymerase		1,000 L		(Σ.3 Ο/με)
$DirEx^{TM}$ Fast-Cigarett	e	96 T	260-071	solution			20 µl		- lyophilized
							<u> </u>		
							5() 110	5/1-5()()	
GeneAll® RNA s	eries	for preper	ation of total	RNA	Taq Premix	96 tubes	50 μl		
		for preper	ation of total		Taq Premix	96 tubes	20 μl	526-200	- solution
GeneAll® RNA s RiboEx™	eries ; mini			RNA	Taq Premix	96 tubes	20 μl 50 μl	526-200 526-500	- solution
		100	301-001		Taq Premix	96 tubes	20 μl 50 μl 20 μl	526-200 526-500 522-200	solution lyophilized
RiboEx [™]	mini mini	100	301-001	solution	Taq Premix	96 tubes	20 μl 50 μl 20 μl 50 μl	526-200 526-500 522-200 522-500	
RiboEx [™] Hybrid-R [™]	mini mini	100 200 100	301-001 301-002 305-101	solution spin			20 μl 50 μl 20 μl 50 μl	526-200 526-500 522-200 522-500 527-200	
RiboEx [™] Hybrid-R [™] Hybrid-R [™] Blood RN Hybrid-R [™] miRNA	mini mini IA mini mini	100 200 100 50	301-001 301-002 305-101 315-150	solution spin spin spin			20 μl 50 μl 20 μl 50 μl 20 μl	526-200 526-500 522-200 522-500 527-200 527-500	- lyophilized
RiboEx [™] Hybrid-R [™] Hybrid-R [™] Blood RN	mini mini IA mini	100 200 100 50	301-001 301-002 305-101 315-150 325-150	solution spin spin	α-Taq Premix	96 tubes	20 µl 50 µl 20 µl 50 µl 50 µl 20 µl 50 µl	526-200 526-500 522-200 522-500 527-200 527-500 525-200	- lyophilized
RiboEx [™] Hybrid-R [™] Hybrid-R [™] Blood RN Hybrid-R [™] miRNA	mini mini IA mini mini	100 200 100 50 50	301-001 301-002 305-101 315-150 325-150 302-001	solution spin spin spin			20 µl 50 µl 20 µl 50 µl 50 µl 20 µl 20 µl 50 µl	526-200 526-500 522-200 522-500 527-200 527-500 525-200 525-500	lyophilized solution solution
RiboEx [™] Hybrid-R [™] Hybrid-R [™] Blood RN Hybrid-R [™] miRNA RiboEx [™] LS	mini mini IA mini mini mini	100 200 100 50 50 100 200	301-001 301-002 305-101 315-150 325-150 302-001 302-002	solution spin spin spin spin	α-Taq Premix HS-Taq Premix	96 tubes	20 µl 50 µl 20 µl 50 µl 50 µl 20 µl 50 µl 20 µl 20 µl	526-200 526-500 522-200 522-500 527-200 527-500 525-200 525-500 520-200	lyophilized solution solution lyophilized
RiboEx [™] Hybrid-R [™] Hybrid-R [™] Blood RN Hybrid-R [™] miRNA RiboEx [™] LS Riboclear [™] Riboclear [™]	mini mini IA mini mini mini mini	100 200 100 50 50 100 200 50	301-001 301-002 305-101 315-150 325-150 302-001 302-002 303-150	solution spin spin spin solution spin spin	α-Taq Premix HS-Taq Premix α-Pfu Premix	96 tubes 96 tubes	20 µl 50 µl 20 µl 50 µl 50 µl 20 µl 50 µl 20 µl 20 µl 50 µl 50 µl	526-200 526-500 522-200 522-500 527-200 527-500 525-200 525-500 520-200 523-500	solution solution lyophilized solution
RiboEx [™] Hybrid-R [™] Hybrid-R [™] Blood RN Hybrid-R [™] miRNA RiboEx [™] LS Riboclear [™] Riboclear [™] Ribospin [™]	mini mini IA mini mini mini mini mini mini	100 200 100 50 50 100 200 50 50	301-001 301-002 305-101 315-150 325-150 302-001 302-002 303-150 313-150 304-150	solution spin spin spin spin solution spin	α-Taq Premix HS-Taq Premix α-Pfu Premix Taq Premix (w/o dye)	96 tubes 96 tubes 96 tubes	20 µl 50 µl 20 µl 50 µl 20 µl 20 µl 50 µl 20 µl 50 µl 50 µl 50 µl 20 µl	526-200 526-500 522-200 522-500 527-200 527-500 525-200 525-500 520-200 523-500 524-200	solution solution lyophilized solution lyophilized
RiboEx [™] Hybrid-R [™] Hybrid-R [™] Blood RN Hybrid-R [™] miRNA RiboEx [™] LS Riboclear [™] Riboclear [™]	mini mini IA mini mini mini mini mini mini	100 200 100 50 50 100 200 50 50 50	301-001 301-002 305-101 315-150 325-150 302-001 302-002 303-150 313-150 304-150	solution spin spin spin solution spin spin	α-Taq Premix HS-Taq Premix α-Pfu Premix Taq Premix (w/o dye) dNTPs mix	96 tubes 96 tubes 96 tubes	20 µl 50 µl 50 µl 50 µl 50 µl 20 µl 50 µl 20 µl 50 µl 50 µl 50 µl 50 µl	526-200 526-500 522-200 522-500 527-200 527-500 525-200 525-500 520-200 523-500 524-200	solution solution lyophilized solution
RiboEx [™] Hybrid-R [™] Hybrid-R [™] Blood RN Hybrid-R [™] miRNA RiboEx [™] LS Riboclear [™] Riboclear [™] Ribospin [™]	mini mini Mamini mini mini mini mini mini mini	100 200 100 50 50 100 200 50 50	301-001 301-002 305-101 315-150 325-150 302-001 302-002 303-150 313-150 304-150	solution spin spin spin solution spin spin spin spin spin	α-Taq Premix HS-Taq Premix α-Pfu Premix Taq Premix (w/o dye) dNTPs mix dNTPs set	96 tubes 96 tubes 96 tubes	20 µl 50 µl 20 µl 50 µl 20 µl 20 µl 50 µl 20 µl 50 µl 50 µl 50 µl 20 µl	526-200 526-500 522-200 522-500 527-500 527-500 525-200 525-500 520-200 524-200 509-020	solution solution lyophilized solution lyophilized
RiboEx TM Hybrid-R TM Hybrid-R TM Blood RN Hybrid-R TM miRNA RiboEx TM LS Riboclear TM Riboclear TM Ribospin TM Ribospin TM II Ribospin TM VRD	mini mini IA mini mini mini mini mini mini mini mini	100 200 100 50 50 100 200 50 50 50 50 50	301-001 301-002 305-101 315-150 325-150 302-001 302-002 303-150 313-150 304-150 314-150 314-103	solution spin spin spin solution spin spin spin spin spin spin spin	α-Taq Premix HS-Taq Premix α-Pfu Premix Taq Premix (w/o dye) dNTPs mix	96 tubes 96 tubes 96 tubes	20 µl 50 µl 20 µl 50 µl 20 µl 50 µl 20 µl 50 µl 50 µl 50 µl 50 µl 10 µl 10 µl	526-200 526-500 522-200 522-500 527-500 527-500 525-200 525-500 520-200 524-200 509-020	solution solution lyophilized solution lyophilized solution lyophilized 2.5 mM eac
RiboEx TM Hybrid-R TM Hybrid-R TM Blood RN Hybrid-R TM miRNA RiboEx TM LS Riboclear TM Riboclear TM plus! Ribospin TM Ribospin TM II Ribospin TM vRD Ribospin TM vRD plus	mini mini IA mini mini mini mini mini mini mini mini	100 200 100 50 50 200 200 50 50 50 50 50 50	301-001 301-002 305-101 315-150 325-150 302-001 302-002 303-150 313-150 314-150 314-103 302-150 312-150	solution spin spin spin solution spin spin spin spin spin spin spin spi	α-Taq Premix HS-Taq Premix α-Pfu Premix Taq Premix (w/o dye) dNTPs mix dNTPs set	96 tubes 96 tubes 96 tubes	20 µl 50 µl 20 µl 50 µl 20 µl 50 µl 20 µl 50 µl 50 µl 50 µl 50 µl 10 µl 10 µl	526-200 526-500 522-200 522-500 527-500 527-500 525-200 525-500 520-200 524-200 509-020	solution solution lyophilized solution lyophilized solution lyophilized 2.5 mM eac
RiboEx TM Hybrid-R TM Hybrid-R TM Blood RN Hybrid-R TM miRNA RiboEx TM LS Riboclear TM Riboclear TM Ribospin TM Ribospin TM II Ribospin TM VRD	mini mini IA mini mini mini mini mini mini mini mini	100 200 100 50 50 100 200 50 50 50 50 50 50	301-001 301-002 305-101 315-150 325-150 302-001 302-002 303-150 313-150 304-150 314-150 314-103	solution spin spin spin solution spin spin spin spin spin spin spin	α-Taq Premix HS-Taq Premix α-Pfu Premix Taq Premix (w/o dye) dNTPs mix dNTPs set	96 tubes 96 tubes 96 tubes	20 µl 50 µl 20 µl 50 µl 20 µl 50 µl 20 µl 50 µl 50 µl 50 µl 50 µl 10 µl 10 µl	526-200 526-500 522-200 522-500 527-500 527-500 525-200 525-500 520-200 524-200 509-020	solution solution lyophilized solution lyophilized solution lyophilized 2.5 mM eac

Allspin™

RiboSaverTM

mini 50

mini 100

306-150

351-001

spin

solution

Products	Scale	Size	Cat. No.	Туре

GeneAll® AmpMaster™ for PCR amplification

T M+	0.5 ml x 2 tubes	541-010	solution
Taq Master mix	0.5 ml x 10 tubes	541-050	solution
α -Taq Master mix	0.5 ml x 2 tubes	542-010	solution
	0.5 ml x 10 tubes	542-050	solution
LIC To a Montana and	0.5 ml x 2 tubes	545-010	solution
HS-Taq Master mix	0.5 ml x 10 tubes	545-050	solution
	0.5 ml x 2 tubes	543-010	solution
	0.5 ml x 10 tubes	543-050	solution

GeneAll® *HyperScript*[™] for Reverse Transcription

/1		- 1	
Reverse Transcript	ase 10,000 U	601-100	solution
RT Master mix	$0.5~\mathrm{ml} \times 2~\mathrm{tubes}$	601-710	solution
RT Master mix with oligo (dT) ₂₀	$0.5~\mathrm{ml} \times 2~\mathrm{tubes}$	601-730	solution
RT Master mix with random hexamer	$0.5~\mathrm{ml} \times 2~\mathrm{tubes}$	601-740	solution
RT Premix	96 tubes, 20 μ l	601-602	solution
RT Premix with oligo (dT) ₂₀	96 tubes, 20 μl	601-632	solution
RT Premix with random hexamer	96 tubes, 20 μl	601-642	solution
One-step RT-PCR Master mix	$0.5~\mathrm{ml} \times 2~\mathrm{tubes}$	602-110	solution
One-step RT-PCR Premix	96 tubes, 20 μl	602-102	solution
First strand Synthesis Kit	50 reaction	605-005	solution
ZymAll [™] RNase Inhibitor	10,000 ∪	605-010	solution
ZymAll [™] RNase Inhibitor	4,000 ∪	605-004	solution

${\color{red}\textbf{GeneAll}}^{\scriptsize{\textbf{\$}}} \textbf{RealAmp}^{\scriptsize{\textbf{TM}}} \textit{ for qPCR amplification}$

SYBR qPCR Master	200 rxn	20 μl	801-020	solution
mix (2X, Low ROX)	500 rxn	20 µl	801-050	SOIULION
SYBR qPCR Master	200 rxn	20 µl	801-021	
mix (2X, High ROX)	500 rxn	20 ul	801-051	solution

GeneAll® Protein series

Products

$ProtinEx^{TM}$ Animal cell / tissue	100 ml	701-001	solution
PAGESTA [™] Reducing 5X SDS-PAGE Sample Buffer	I ml × 10 tubes	751-001	solution

Size Cat. No.

Туре

GeneAll® STEADi™ for automatic nucleic acid puritication

12 Instrument		GST012	system
24 Instrument		GST024	system
Genomic DNA Cell / Tissue	96	401-104	kit
Genomic DNA Blood	96	402-105	kit
Bacteria DNA	96	403-106	kit
Total RNA	96	404-304	kit
Viral DNA / RNA	96	405-322	kit
CFC Seed DNA / RNA	96	406-C02	kit





Visit GeneAll® Community

www.geneall.com www.geneall.co.kr

Mailing Address

GeneAll Biotechnology Co., LTD. GeneAll Bldg., 303-7 Dongnam-ro, Songpa-gu, Seoul, Korea 138-859

Ordering information

Tel: 82-2-407-0096 Fax: 82-2-407-0779 E-mail: sales@geneall.com

Technical information

Tel: 82-2-407-0096 Fax: 82-2-407-0779 E-mail: tech@geneall.com

Customer & Technical Support

Do not hesitate to ask us any question. We thank you for any comment or advice.



www.geneall.com

GeneAll Bldg., 303-7 Dongnam-ro, Songpa-gu, Seoul, South Korea 05729

E-mail: sales@geneall.com

Tel: 82-2-407-0096 Fax: 82-2-407-0779